

Submit one form per site, per week of sampling.

**Contract Laboratory Program (CLP) and/or Houston Lab Request for Regional Projections for December 2001 for R6** (please use a separate form for CLP/Houston Lab)

Site Name: Domingo Railroad Dumpsite

Projected Sampling Week: December 17, 2001

CLP (✓)  
Soil

Houston Lab (✓)  
Water

**Routine Analytical Services (RAS)**

| SOW              | OLM04.2                | OLM04.2 TA | OLM04.2 TA | OLM04.2 TA | Low Conc. Organic Drinking Water SOW(OLC03.2) |
|------------------|------------------------|------------|------------|------------|---|
| Organic Analysis | Preliminary Results ** | 7- day     | 14- day    | 21- day    | 14 - day TA only                              |
| Full TCL         |                        |            |            | 25         | 3   |
| VOA only         |                        |            |            |            |   |
| BNA only         |                        |            |            |            |   |
| Pest/PCB         |                        |            |            |            |   |

\*\* = 48 hrs for VOA's / 72 hrs for BNA & Pest/PCB's / Note: Preliminary Results can only be requested with 7 - day TA for hardcopy data package.

**Method 5035 - For VOA analysis of soils**

|   | # of low concentration samples | # of medium concentration samples |
|---|--------------------------------|-----------------------------------|
| ENCORES                                 | —                              | —                                 |
| Pre-Weighed Vials (Closed System Vials) | —                              | —                                 |

| Inorganic Analysis ILM04.1 | Preliminary Results (72 hrs) | 7- day TA | 14- day TA | 21- day TA         |
|----------------------------|------------------------------|-----------|------------|--------------------|
| TAL Metals + CN            |                              |           |            | 25 Soil<br>3 Water |
| TAL Metals only            |                              |           |            |                    |
| CN only                    |                              |           |            |                    |
| Dissolved Metals           |                              |           |            |                    |

**Non-Routine Analytical Services:** Please note that no RAS IFB is currently in place for these. This information is used by EPA HQ for future planning.

|                          |  |
|--------------------------|--|
| Water Quality Parameters |  |
| PCB Congeners            |  |
| Dioxins/Furans           |  |

998136



Signature of SAM, RPM, OSC

Mail Code

Date

Type of contract + contractor

Please FAX to: Myra Perez, External Lab. Oversight Team, (281/983-2124) / By November 10, 2001